AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the

application.

1-11. (Cancelled.)

12. (Previously Presented) An apparatus for transferring fluidic compositions for coloring

concrete comprising:

a tank including an interior defined by walls;

a fluid transferring apparatus in communication with the tank for withdrawing a concrete

coloring fluid from the interior of the tank;

the fluid transferring apparatus comprising a pump and a discharge line extending from

the pump for transferring the concrete coloring fluid from the tank to a supply of concrete;

a cover, removably attachable with respect to the tank, the cover moveable between a

first position, where the interior of the tank is closed to the ambient environment and a second

position, where the interior of the tank is open to the ambient environment to receive the

concrete coloring fluid:

a system for rinsing the tank with an aqueous fluid, including, an aqueous fluid intake

port connected to a source of the aqueous fluid; and, a dispenser in communication with the

aqueous fluid intake port and configured for providing the aqueous fluid to the interior of the

tank for contacting the walls of the interior of the tank, the dispenser coupled to the cover; and,

2

a controller for operating the fluid transferring apparatus and the system for rinsing the tank, the controller in electrical communication with the aqueous fluid intake port and the pump, and the controller comprising modes for directing the aqueous fluid intake port to direct the aqueous fluid to enter the interior of the tank and for directing the pump to transfer the concrete coloring fluid from the tank through the discharge line.

- 13. (Cancelled.)
- 14. (Previously Presented) The apparatus of claim 12, wherein the dispenser includes a nozzle in communication with an aqueous fluid transport line.
- 15. (Cancelled.)
- 16. (Previously Presented) The apparatus of claim 12, wherein the pump includes a diaphragm pump.
- 17. (Original.) The apparatus of claim 12, additionally comprising, a support member for receiving and holding the tank proximate to the ground level.
- 18. (Previously Presented.) The apparatus of claim 12, additionally comprising: the discharge line extending from the pump, the pump including a valve.
- 19. (Original.) The apparatus of claim 18, additionally comprising: a conduit extending from the tank to the pump.

20. (Original.) The apparatus of claim 19, wherein the tank includes a first cylindrical portion,

for communication with the cover, and a second conical portion, for communication with the

conduit.

21. (Previously Presented) The apparatus of claim 14, wherein the aqueous fluid transport line

is configured for coupling with a source of pressurized water.

22. (New) The apparatus of claim 12, wherein the cover is attached to the tank by a hinge.

23. (New) The apparatus of claim 12, wherein the controller comprises a preload mode for

directing the aqueous fluid intake port to direct the aqueous fluid to enter the interior of the tank,

a pump mode for directing the pump to transfer the concrete coloring fluid from the tank through

the discharge line, and a rinse mode for directing the aqueous fluid intake port to direct the

aqueous fluid to enter the interior of the tank.

24. (New) The apparatus of claim 14, wherein the aqueous fluid transport line is coupled with a

source of pressurized water.

4